

CLAIMS

What is claimed is:

1 1. A method for providing seamless connection over a
2 communication network for a Systems Network Architecture
3 (SNA) session between a SNA Client and a remote SNA
4 server, said method comprising the steps of:

5 receiving at an access device for said
6 communications network and from said SNA client a request
7 for establishing a session with a SNA server that
8 provides services to said SNA client, said request
9 including an identification of the SNA client;

10 selecting a communication path within the
11 communication network to access said SNA server by
12 referring to a configuration table of said access device,
13 said configuration table comprising one or more
14 communication paths leading to one or more SNA servers
15 for each SNA client that is connected to said access
16 device; and

17 forwarding the session request to said SNA server
18 along the selected communication path.

1 2. The method of Claim 1, further comprising the step
2 of routing traffic associated with the session to the SNA
3 server via the selected communication path.

1 3. The method of Claim 2, wherein said step of
2 selecting a communication path further comprises the step
3 of selecting one server from among a plurality of servers
4 associated with the SNA client according to pre-

5 determined criteria selected from among network and
6 server performance, server availability, and load
7 balancing.

1 4. The method of Claim 3, wherein said SNA client and
2 an access device are connected on a Local Area Network,
3 and wherein said step of receiving a request for
4 establishing a session is preceded by the steps of:

5 receiving on said Local Area Network an Address
6 Resolution Protocol (ARP) request, said ARP request
7 comprising the Internet Protocol (IP) address of a server
8 the SNA client wants to access; and

9 sending an ARP response to the SNA client, said ARP
10 response comprising the Medium Access Control (MAC)
11 address of the access device on the Local Area Network.

12 5. The method of Claim 4, further comprising the step
13 of, for each SNA client, defining said configuration
14 table with an identification of the SNA client including
15 a SNA Logical Unit (LU) name, one or more communication
16 paths from the access device to the one or more servers
17 associated with said SNA client, and an identification of
18 said one or more servers including an Internet Protocol
19 (IP) address.

1 6. The method of Claim 5, wherein said step of defining
2 said configuration table further comprises the step of
3 specifying a default communication path to access a
4 server for SNA clients that are not identified in the
5 configuration table.

1 7. The method of Claims 6, wherein each server
2 comprises a configuration file comprising a list of SNA

3 clients for which the server provides services, and for
4 each of said SNA clients, a communication path within the
5 communication network between the access device and said
6 server, and wherein said step of defining a configuration
7 table further comprises the step of:

8 retrieving and consolidating the configuration files
9 of each of said server in a single configuration table
10 locally stored within the access device.

1 8. The method of Claim 7, wherein said SNA client is
2 identified by a SNA Logical Unit name, and said session
3 request comprises the SNA Logical Unit name of the SNA
4 client.

1 9. The method of Claim 8, wherein said communication
2 network is a Wide Area Network (WAN) based on a
3 networking technology from among Frame Relay (FR),
4 Asynchronous Transfer Mode (ATM), Switched Multi-megabit
5 Data Services (SMDS) or Integrated Services Digital
6 Network (ISDN).

1 10. The method of Claim 9, wherein said communication
2 paths are Permanent Virtual Circuits (PVCs) identified
3 within said WAN.

1 11. The method of Claim 10, wherein the access device
2 attaches one or more SNA clients by serial links and
3 Local Area Networks (LAN).

1 12. The method of Claim 11, wherein said SNA operates a
2 Telnet session with services from among a Telnet 3270
3 service and a Telnet 3270 enhanced service, and wherein
4 said server is a Telnet server and said SNA client

5

executes Telnet client services.

1 13. An access device for a communications network, said
2 access device comprising:

3 a receiving port for receiving a session request
4 from a connected SNA client;

5 a processing unit that selects a particular one of
6 at least one SNA server connected to the communications
7 network for routing said session request; and

8 a transmitting port for providing a session
9 connection between said SNA client and said particular
10 SNA server via a virtual circuit connecting said SNA
11 server with said access device across said communications
12 network.

1 14. The access device of Claim 13, further comprising a
2 configuration table that provides a list of SNA clients
3 and Internet Protocol addresses of associated SNA servers
4 that support said SNA clients along with a permanent
5 virtual link by which one of said associated SNA servers
6 may be connected to said SNA client when said session
7 request is received by said access device.

1 15. The access device of Claim 14, further comprising
2 means for providing Internet Protocol services including
3 an Address Resolution Protocol (ARP) that utilizes an IP
4 address of said SNA server that is included in an ARP
5 request message of said SNA client to determine which SNA
6 server to select.

1 16. The access device of Claim 15, wherein multiple SNA
2 servers support said SNA client and said processor
3 selects one of said multiple SNA servers to connect said

4 session request by evaluating one or more of a plurality
5 of criteria including network and server performance,
6 server availability, and load balancing.

1 17. The access device of Claim 16, wherein said
2 processing unit selects a default communication path
3 including a default SNA server when a SNA client
4 requesting a session is not identified within said
5 configuration table.

1 18. The access device of Claim 17, further comprising
2 logic for, in response to receiving an Address Resolution
3 Protocol (ARP) request comprising the Internet Protocol
4 (IP) address of a server the SNA client wants to access,
5 sending an ARP response to the SNA client, said ARP
6 response comprising the Medium Access Control (MAC)
7 address of the access device.

1 19. A network comprising:

2 at least one Systems Network Architecture (SNA)
3 client;

4 at least one SNA server; and

5 an access device for enabling a session between said
6 at least one SNA client and said at least one SNA server
7 by establishing a virtual circuit with said SNA server
8 across said network.

1 20. The network of Claim 19, wherein said access device
2 is connected to said at least one SNA client via a direct
3 link.

1 21. The network of Claim 19, wherein said access device
2 is connected to said at least one SNA client via a local
3 area network.

1 22. The network of Claim 19, wherein said access device
2 comprises:

3 a receiving port for receiving a session request
4 from said at least one SNA client;

5 a processing unit that selects a particular one of
6 said at least one SNA server for routing said session
7 request; and

8 a transmitting port for providing a session
9 connection between said at least one SNA client and said
10 particular SNA server via said virtual circuit.

1 23. The network of Claim 22, wherein said access device
2 further comprises a configuration table that provides a
3 list of SNA clients and Internet Protocol addresses of
4 associated SNA servers that support said SNA clients
5 along with a permanent virtual link by which one of said
6 associated SNA servers may be connected to said SNA
7 client when said session request is received by said
8 access device.

1 24. The network of Claim 23, wherein said access device
2 further comprises means for providing Internet Protocol
3 services including an Address Resolution Protocol (ARP)
4 that utilizes an IP address of an SNA server that is
5 included in an ARP request message of said SNA client to
6 determine which one of said at least one SNA server to
7 select.

1 25. The network of Claim 24, wherein multiple SNA
2 servers supports one of said SNA clients and said
3 processing unit of said access device selects one of said
4 multiple SNA servers to connect said session request by
5 evaluating one or more of a plurality of criteria
6 including network and server performance, server
7 availability, and load balancing.

1 26. The network of Claim 25, wherein said processing
2 unit selects a default communication path including a
3 default SNA server when a SNA client requesting a session
4 is not identified within said configuration table.

1 27. The network of Claim 26, wherein said access device
2 further comprises logic for, in response to receiving an
3 Address Resolution Protocol (ARP) request comprising the
4 Internet Protocol (IP) address of a server the SNA client

5 wants to access, sending an ARP response to the SNA
6 client, said ARP response comprising the Medium Access
7 Control (MAC) address of the access device.

1 28. A computer program product comprising:

2 a computer readable medium; and

3 program instructions on said computer readable
4 medium for:

5 receiving from an SNA client a request for
6 establishing a session with a SNA server that provides
7 services to said SNA client, said request including an
8 identification of the SNA client;

9 selecting a communication path within the
10 communication network to access said SNA server by
11 referring to a configuration table of said access device,
12 said configuration table comprising one or more
13 communication paths leading to one or more SNA servers
14 for each SNA client that is connected to said access
15 device; and

16 forwarding the session request to said SNA server
17 along the selected communication path.

1 29. The computer program product of Claim 28, wherein
2 said program instructions for selecting a communication
3 path further comprises program instructions for selecting
4 one server from among a plurality of servers associated
5 with the SNA client according to pre-determined criteria
6 selected from among network and server performance,
7 server availability, and load balancing.

1 30. The computer program product of Claim 29, further
2 comprising program instructions for selecting a default
3 communication path to access a server for SNA clients

1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------